Volume 30, Contents and Author Index, 1993

Published on behalf of
THE INTERNATIONAL SOCIETY FOR TERRAIN-VEHICLE SYSTEMS

PERGAMON

THE INTERNATIONAL SOCIETY FOR TERRAIN-VEHICLE SYSTEMS

C/o U.S.A. CRREL, 72 Lyme Road, Hanover, NH 03755-1290, U.S.A.

Copyright © 1994 ISTVS

Editor	J. R. RADFORTH: *Limbert Road, RR No. 3, Parry Sound, Ontario, Canada P2A 2W9.*
Honorary Editor	N. W. RADFORTH: *Radforth & Associates Muskeg Studies, Limbert Road, RR No. 3, Parry Sound, Ontario, Canada P2A 2W9.*
Associate Editors	D. R. FREITAG: *Tennessee Technological University, College of Engineering, Department of Civil Engineering, Cookeville, TN 38505, U.S.A.* A. E. HASSAN: *College of Forest Resources, North Carolina State University at Raleigh, Box 8002, Raleigh, NC 27695-8002, U.S.A.* M. KITANO: *Department of Mechanical Engineering, National Defense Academy, Hashrimizu, Yokosuka 239, Japan.* R. A. LISTON: *U.S. Army Cold Regions Research and Engineering Laboratory, Hanover, NH 03755-1290, U.S.A.* E. MCKYES, *Department of Agricultural Engineering, Macdonald College of McGill University, 21, 111, Lakeshore Road, Ste. Anne de Bellevue, PQ, Canada H9X 1C0.* K.-J. MELZER: *Battelle Motor- und Fahrzeugtechnik GmbH, Am Römerhof 35, 6000 Frankfurt am Main 90, Germany.* C. J. NUTTALL, JR.: *U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS 39180, U.S.A.* A. OIDA: *Faculty of Agriculture, Kyoto University, Kitashirakawa, Sakyoku, Kyoto 606-01, Japan.* A. R. REECE: *Soil Machine Dynamics Ltd., Beaumont House, Stocksfield Northumberland, NE43 7TN, U.K.* V. M. SALOKHE, *Asian Institute of Technology, GPO Box 2754, Bangkok, Thailand.* H. SCHWANGHART: *Institute für Landmaschinen, Technische Universität München, Arcisstrasse 21, 8000 München 2, Germany.* W. H. SÖHNE: *Institute für Landmaschinen, Technische Universität München, Arcisstrasse 21, 8000 München 2, Germany.* S. K. UPADHYAYA, *Department of Agricultural Engineering, University of California, Davis, CA 95616, U.S.A.* R. D. WISMER: *Deere and Company Technical Center, 3300 River Drive, Moline, IL 61265, U.S.A.* J. Y. WONG: *Department of Mechanical and Aeronautical Engineering, Carleton University, Ottawa, Ontario, Canada K1S 5B6.* R. N. YONG: *Geotechnical Research Centre, McGill University, 817 Sherbrooke St W., Montreal, Canada H3A 2K6.*
Translations Editor	Z. J. JANOSI: *Analytical and Physical Simulation Branch, U.S. Army Tank-Automotive Command, AMSTA-RYA, Warren, MI 48397-5000, U.S.A.*

Production Editor (Elsevier Science): Victoria McNeill

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. and Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Institutional Subscription Rates 1994: North, Central and South America, U.S.$395.00, Rest of World £255.00. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Second class postage paid at Rahway, NJ. Postmaster send address corrections to *Journal of Terramechanics,* c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appears in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Published six issues/annum in January, March, May, July, September and November by Elsevier Science Ltd for The International Society for Terrain-Vehicle Systems

CONTENTS

NUMBER 1

Technical Articles

S. K. UPADHYAYA, D. WULFSOHN and J. MEHLSCHAU: An instrumented device to obtain traction related parameters 1

H. NAKASHIMA and J. Y. WONG: A three-dimensional tire model by the finite element method 21

H. R. KEMP: Prediction of the performance of four-wheel-drive passenger vehicles 35

N. ITO, K. KITO, T. TAKASHIMA, H. MURASE and Y. YAMADA: Design concept of the grouser pattern for reducing turning motion resistance 47

Book Reviews

Terramechanics and Off-Road Vehicles, by J. Y. WONG, Reviewed by M. J. DWYER 59

Vehicle Traction Mechanics, by R. N. YONG, E. A. FATTAH and N. SKIADES, Reviewed by G. L. BLAISDELL 60

NUMBER 2

Technical Articles

V. M. SALOKHE and NGUYEN THE NINH: Modelling soil compaction under pneumatic tyres in clay soil 63

G. KOMÁNDI: Reevaluation of the adhesive relationship between the tire and the soil . . 77

S. K. UPADHYAYA and D. WULFSOHN: Traction prediction using soil parameters obtained with an instrumented analog device 85

H. L. M. DU PLESSIS and G. VENTER: Soft surface lateral forces and force modelling for a tractor tyre 101

K. WATANABE, H. MURAKAMI, M. KITANO and T. KATAHIRA: Experimental characterization of dynamic soil–track interaction on dry sand . 111

CONTENTS (continued)

NUMBER 3

Technical Articles

QIU XIDING, LIU JUDE and MEN YONGXIN: A modified point contact tire model for the simulation of vehicle ride quality . . . 133

T. MURO: Performances of a tracked over-snow vehicle towing a roller up and down a shallow-sloped terrain 143

R. K. WOOD and E. C. BURT: Tractive performance of a tread design for improved flexibility 157

G. REGLI, A. HANDKE and M. BÜTIKOFER: Material laws as a basis for simulation models for the calculation of wheel–soil interaction examination using the finite element method . 165

K. OHMIYA, N. NOGUCHI and H. TERAO: Cone resistance measuring system for generating cone resistance distribution map 181

X. L. WANG, M. YAMAZAKI and T. TANAKA: Dynamic behaviour of an open lugged wheel under paddy soil conditions 191

S. SHIBUSAWA: Reverse-rotational rotary tiller for reduced power requirement in deep tillage 205

NUMBER 4

Technical Articles

A. M. O. MOHAMED, R. N. YONG and A. J. MURCIA: Evaluation of the performance of deep snowpack under compression loading using finite element analysis 219

DA-MING XU and R. N. YONG: Autocorrelation model of road roughness 259

V. M. SALOKHE, M. HOKI and K. SATO: Why does soil not stick to enamel coating? . . 275

M. J. DWYER, J. A. OKELLO and A. J. SCARLETT: A theoretical and experimental investigation of rubber tracks for agriculture 285

CONTENTS (continued)

M. V. BRAUNACK and B. G. WILLIAMS: The effect of initial soil water content and vegetative cover on surface soil disturbance by tracked vehicles 299

Discussion

PAN JUN-ZHENG: The effect of a float on power tiller performance; V. M. SALOKHE and A. GHAZALI 313

V. M. SALOKHE and A. GHAZALI: Authors' Reply 315

NUMBER 5

Technical Articles

E. C. BURT: Soil–tire/track interaction—current and future research needs 317

B. P. SALSBERY and B. R. HARTSOUGH: Control of a cable-towed vehicle to minimize slip . . 325

V. M. SALOKHE, M. H. MIAH and M. HOKI: Effect of blade type on power requirement and puddling quality of a rotavator in wet clay soil 337

T. MURO: Tractive performance of a driven rigid wheel on soft ground based on the analysis of soil–wheel interaction 351

S. SANKAR and M. AFONSO: Design and testing of lateral seat suspension for off-road vehicles 371

CONTENTS (continued)

NUMBER 6

Technical Articles

T. NIYAMAPA and V. M. SALOKHE: Laboratory investigations into soil failure under vibratory tillage tools 395

S. A. SHOOP: Thawing soil strength measurements for predicting vehicle performance 405

T. MURO: Tractive and braking performance of a flexible tracked tractor moving up and down weak sloped terrain. 419

R. GODBOLE, R. ALCOCK and D. HETTIARATCHI: The prediction of tractive performance on soil surfaces 443

Technical Note

J. K. GIGLER and S. M. WARD: A simulation model for the prediction of the ground pressure distribution under tracked vehicles . . . 461

AUTHOR INDEX

Afonso, M. 371
Alcock, R. 443

Blaisdell, G. L. 60
Braunack, M. V. 299
Burt, E. C. 157, 317
Bütikofer, M. 165

Da-Ming Xu 259
Du Plessis, H. L. M. 101
Dwyer, M. J. 59, 285

Ghazali, A. 315
Gigler, J. K. 461
Godbole, R. 443

Handke, A. 165
Hartsough, B. R. 325
Hettiaratchi, D. 443
Hoki, M. 275, 337

Ito, N. 47

Katahira, T. 111
Kemp, H. R. 35
Kitano, M. 111
Kito, K. 47
Komándi, G. 77

Liu Jude 133

Mehlschau, J. 1
Men Yongxin 133
Miah, M. H. 337
Mohamed, A. M. O. 219
Murakami, H. 111
Murase, H. 47
Murcia, A. J. 219
Muro, T. 143, 351, 419

Nakashima, H. 21
Nguyen The Ninh 63
Niyamapa, T. 395
Noguchi, N. 181

Ohmiya, K. 181
Okello, J. A. 285

Pan Jun-Zheng 313

Qiu Xiding 133

Regli, G. 165

Salokhe, V. M. 63, 275, 315, 337, 395
Salsbery, B. P. 325
Sankar, S. 371
Sato, K. 275
Scarlett, A. J. 285
Shibusawa, S. 205
Shoop, S. A. 405

Takashima, T. 47
Tanaka, T. 191
Terao, H. 181

Upadhyaya, S. K. 1, 85

Venter, G. 101

Wang, X. L. 191
Ward, S. M. 461
Watanabe, K. 111
Williams, B. G. 299
Wong, J. Y. 21
Wood, R. K. 157
Wulfsohn, D. 1, 85

Yamada, Y. 47
Yamazaki, M. 191
Yong, R. N. 219, 259

NOTES FOR CONTRIBUTORS

Submission of papers. The editors will be pleased to consider papers for publication. All papers are subject to peer review. Papers are not to have been published previously elsewhere, except in publications of the Society, for example in conference proceedings.

The editor and each associate editor has the authority to approve material for publication. Contributors may therefore choose freely the editor with whom they communicate. The editor at his own discretion may seek approval from the author's organization (employer, faculty supervisor, etc.) for publication of any material.

Papers which do not conform to these notes may be returned to the authors for correction before being considered for publication.

Copyright. Formal transfer of copyright from authors to the International Society for Terrain-Vehicle Systems is required to accommodate US Copyright Law. A standard agreement form will be sent to authors whose papers are accepted for publication for signature and return to the editor.

Language. Papers are to be written in English. Authors are to ensure that their papers have been thoroughly edited for correct English *before* submitting them for publication.

Form of papers. Papers are to begin with a summary of about 200 words. They are to be *typewritten, double-spaced with liberal left-hand margin.* The original and one copy are to be sent, including one set of original illustrations. References must be listed in the order referred to in the text, and are to be referred to in the text by numbers in square brackets, e.g. [2]. Physical quantities are to be expressed in SI units. Both photographs and drawings are to be referred to as "figures".

Tables and Illustrations. All tables and illustrations are to be neatly and carefully prepared, and be suitable for direct photo reproduction. Photographs should be prints of good clarity. Ink drawings or high-quality, clear photocopies of drawings with no extraneous markings are required. A mechanical lettering system should be used for text labels in illustrations. Authors are responsible for supplying original, separate, typed tables suitable for direct reproduction by the printer. The title of the paper and the table or figure number are to be clearly written in soft pencil on the back of each table and illustration. A separate sheet of figure captions and a sheet of table captions are required.

Footnotes. Excessive footnotes are to be avoided. Footnotes to text statements are to be indicated by the following symbols *, †, ‡, §, ||, ¶, commencing anew on each page. Footnotes are not to be included in the numbered reference system.

Proofs. Page proofs will be sent to the authors (or first named author in papers of multiple authorship) for correction. The difficulty and expense involved in making changes to page proofs make it *essential* for authors to prepare their manuscripts carefully so that alteration is not required. Once the article has been typeset, *the publisher will accept no changes other than correction of typesetting errors in the proofs.*

Reprints. Reprints may be ordered from the publisher at a reasonable cost. An order form will be sent to the author with the page proofs.

Discussions. Discussion is welcomed and will be printed together with the author's reply. Communications are to be addressed to the editor. Discussions are to be written to conform with the script requirements stated above.

Note. The editors and the Society wish to make it clear that any statements or views expressed in the papers published in this journal are those of the authors, and no responsibility is taken for the accuracy of such statements or views. In the interest of factual reporting, occasional reference to manufacturer's trade names and proprietary products may be inevitable. No endorsement of named products is intended nor is any criticism implied of similar products which are not mentioned. The original manuscript and illustrations will be discarded 1 month after publication unless the Publisher is requested to return original material to the author.

Printed in England by Grillford Limited, Granby, Milton Keynes 302